



- Journal bearing, oil-cooled CHRA
- Internally wastegated turbine housing, complete with actuator
- Two orientations available



Component	INLET		OUTLET	
	Page	Diagram	Page	Diagram
Compressor	82	20	82	15
Turbine	83	06	85	01
Oil	See Note		84	16
Water	-	-	-	-

<b>DISPLACEMENT 1.4L - 2.0L</b>	<b>HORSEPOWER 140 - 230</b>	2000
		1900
		1800
		1700
		1600
		1500
		1400
		1300
		1200
		1100
		1000
		900
		800
		700
		600
		500
	400	
	300	
	200	
	100	
	0	

GT2052		COMPRESSOR				TURBINE		
Turbo PN	CHRA PN	Ind Whl Dia	Exd Whl Dia	Trim	A/R	Whl Dia	Trim	A/R
727264-1	451298-43	37.6mm	52.2mm	52	0.51	47.0mm	72	0.50
727264-2	451298-43	37.6mm	52.2mm	52	0.51	47.0mm	72	0.50




Dimension Note:  
Oil inlet: Both PN - M10x1.0 (F) or M10x1.0 (M)



2000	DISPLACEMENT 1.4L - 2.0L
1900	
1800	
1700	
1600	
1500	
1400	
1300	
1200	
1100	
1000	
900	
800	
700	
600	
500	
400	
300	
200	
100	
0	




- Journal bearing, oil-cooled CHRA
- Internally wastegated turbine housing, complete with actuator
- Two orientations available




FLANGE	INLET		OUTLET	
	Page	Diagram	Page	Diagram
Compressor	82	20	82	15
Turbine	83	06	85	01
Oil	See Note		84	16
Water	-	-	-	-

GT2052		COMPRESSOR				TURBINE		
Turbo PN	CHRA PN	Ind Whl Dia	Exd Whl Dia	Trim	A/R	Whl Dia	Trim	A/R
727264-4	451298-45	36.8mm	52.0mm	50	0.51	47.0mm	72	0.50
727264-5	451298-45	36.8mm	52.0mm	50	0.51	47.0mm	72	0.50




Dimension Note:  
Oil Inlet: Both PN - M10x1.0 (F) or M10x1.0 (M)





**DISPLACEMENT 1.4L - 2.0L**


- Journal bearing, oil-cooled CHRA
- Internally wastegated turbine housing, complete with actuator
- Two orientations available



Component	INLET		OUTLET	
	Page	Diagram	Page	Diagram
Compressor	82	20	82	15
Turbine	83	06	85	01
Oil	See Note		84	16
Water	-	-	-	-

2000
1900
1800
1700
1600
1500
1400
1300
1200
1100
1000
900
800
700
600
500
400
300
200
100
0

GT2052		COMPRESSOR				TURBINE		
Turbo PN	CHRA PN	Ind Whl Dia	Exd Whl Dia	Trim	A/R	Whl Dia	Trim	A/R
727264-3	451298-44	36.1mm	52.2mm	48	0.51	47.0mm	72	0.50
727264-7	451298-44	36.1mm	52.2mm	48	0.51	47.0mm	72	0.50



Dimension Note:  
Oil Inlet: Both PN - M10x1.0 (F) or M10x1.0 (M)

